# F RTINET.

# FortiAnalyzer

Available in:



FortiAnalyzer is a powerful log management, analytics and reporting platform, providing organizations with Single-Pane Orchestration, Automation, and Response for simplified security operations, proactive identification and remediation of risks, and complete visibility of the entire attack surface.

FortiAnalyzer, integrated with Fortinet's Security Fabric, provides advanced threat detection capabilities, centralized security analytics, and complete end-to-end security posture awareness and control, helping security teams identify and eliminate threats before a breach can occur.



**Orchestrate** security tools, people and process for streamlined execution of tasks and workflows, incident analysis and response, and rapidly expedite threat detection, case creation & investigation, and mitigation and response.

**Automate** workflows and trigger actions with fabric connectors, playbooks and event handlers to accelerate your network security teams ability to respond to critical alerts and events, as well as SLA's for regulation and compliance.

**Respond** in real-time to network security attacks, vulnerabilities and warnings of potential compromises, with threat intelligence, event correlation, monitoring, alerts and reporting for immediate tactical response and remediation.

## **Key Features**

- Security Fabric Analytics with event correlation and real-time detection across all logs, with Indicators of Compromise (IOC) service and detection of advanced threats
- Fortinet Security Fabric integration with FortiGates, FortiClient, FortiSandbox, FortiWeb, FortiMail, and others for deeper visibility and critical network insights
- Enterprise-grade High Availability to automatically back-up FortiAnalyzer databases (up to four node cluster), which can be geographically dispersed for disaster recovery
- Security Automation to reduce complexity, leveraging REST API, scripts, connectors, and automation stitches to expedite security response and reduce time-to-detect
- Multi-Tenancy solution with quota management, leveraging (ADOMs) to separate customer data and manage domains for operational effectiveness and compliance
- Flexible deployment options as appliance, VM, hosted, or public cloud. Use AWS, Azure, or Google for cloud secondary archival storage

# **FEATURE HIGHLIGHTS**

### **Incident Detection and Response**

#### Centralized NOC/SOC Visibility for the Attack Surface

The FortiSOC view helps teams in the security operations center (SOC) and network operations center (NOC) protect networks with access to real-time log and threat data in the form of actionable views with deep drill-down capabilities, notifications & reports, and predefined or customized dashboards for single-pane visibility and awareness. Analysts can utilize FortiAnalyzer's workflow automation for simplified orchestration of security operations, management of threats and vulnerabilities, and responding to security incidents, or investigate proactively by looking for anomlaies and threats in SIEM normalzied logs in the Threat Hunting view.


≣ ast 12 Hours → 01:07:	32 To 13:07:51			斗 🕄 admin Dark
dd Filter				
Log Count				
80,000				
60,000				
40,000				
20,000	2021-05-05 755:00 2021-05-05 E15:00 2021-0	0582500 20105-0585500	2021-05-05 9 15:00 20	21-05-05 9-255.00
2021-05-05 7:25:00	2021-05-05 7:55:00 2021-05-05 8:15:00 2021-05	-05 8 25 00 2021-05-05 8 25 00	2021-05-05 9:15:00 20	21-05-05 9:25:00
'hreat Action (4)	2021-05-05 7:35:00 - 2021-05-05 11:10:00			
Threat Pattern (259)	Ø Threat Pattern	Count	Sent (bytes)	Session Duration
Threat Name (241)	1	1,207,581(94%)	5.1 GB	01m 54s
'hreat Type (8)	2 CVE-ID from N/A	16,665(1%)		
ile Hash (9)	3 CVE-ID from Security Vulnerability CVE-2019-2426 in Oracle JF	E 9,289(1%)		
	4 23.253.46.64	2,307(< 1%)	633.1 KB	01s
le Name (10)				
	5 148.81.111.122	2,303(< 1%)	518.2 KB	01s
	5 148.81.111.122 6 176.31.62.76	2,303(< 1%) 1,533(< 1%)		
Application Process (4)			518.2 KB	01s
oplication Process (4)	6 176.31.62.76	1,533(< 1%) 640(< 1%)	518.2 KB	01s
oplication Process (4)	6 176.31.62.76 7 ip_src_session	1,533(< 1%)   640(< 1%)   DK 482(< 1%)	518.2 KB	01s
upplication Process (4) upplication Name (32) upplication Service (36998)	6 176.31.62.76 7 ip_src_session 8 CVE-ID from Security Vulnerability CVE-2017-10087 in Oracle J	1,533(<1%) 640(<150) DK 482(<150) DK 482(<150)	518.2 KB	01s
Application Process (4) Application Name (32) Application Service (36998) HTTP Referrer (1)	for the second sec	1,533(<1%) 640(<1%) DK 482(<1%) DK 482(<1%) DK 482(<1%)	518.2 KB	01s
Application Process (4) Application Name (32) Application Service (36998) HTTP Referrer (1) Destination Domain (78)	6         176.31.62.76           7         ip_sec_session           8         CVE-ID from Security Winerability CVE-2017-10087 in Oracle J           9         CVE-ID from Security Winerability CVE-2017-10086 in Oracle J           10         CVE-ID from Security Winerability CVE-2017-10090 in Oracle J	1,533(<1%)   640(<1%)   DK 482(<1%)   DK 482(<1%)   DK 482(<1%)   DK 482(<1%)	518.2 KB	01s
Application Process (4) Application Name (32) Application Service (36998) HTTP Referrer (1) Destination Domain (98) Destination IP (1382)	6         176-31.62.76           7         Ip, src, resistion           8         CVXII-D from Scorelity Vulnerability CVE-2017-10087 in Oracle           9         CVXII-D from Scorelity Vulnerability CVE-2017-10088 in Oracle           10         CVXII-D from Scorelity Vulnerability CVE-2017-10089 in Oracle           10         CVXII-D from Scorelity Vulnerability CVE-2017-10089 in Oracle	1,553(<1%) 640(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%) DX 482(<1%)	518.2 KB	01s
Application Process (4) Application Name (32) Application Service (36998) HTTP Referent (1) Destination Domain (98) Destination IP (1382) Source IP (152)	6 17.314.276     7 Jp.25, Second P. Valenzhillig VCE-3017-160867 in Grade     8 CVE-ID from Secondry Valenzhillig VCE-3017-16086 in Grade     9 CVE-ID from Secondry Valenzhillig VCE-3017-16086 in Grade     1 CVE-ID from Secondry Valenzhillig VCE-3017-16086 in Grade	1,533(<1%) 640(>130) DK 482(<150) 0K 482(<150) DK 482(	518.2 KB	01s

#### **Event Management**

FortiAnalyzer's Event Manager enables security teams to monitor and manage alerts and events from logs. Events are processed and correlated in an easily readable format that analysts can understand for immediate response. Analysts can use the Event Monitor for investigative searches into alerts, and use the predefined or custom event handlers for NOC and SOC, with customizable filters to generate realtime notifications for around-the-clock monitoring, including handlers for SD-WAN, VPN SSL, wireless, network operations, FortiClient, and more.

#### **Incident Management**

The Incidents component in FortiSOC enables security operations teams to manage incident handling and life cycle with incidents created from events to show affected assets, endpoints and users. Analysts can assign incidents, view and drill down on event details, incident timelines, add analysis comments, attach reports and artifacts, and review playbook execution details for complete audit history.



Integrate with FortiSOAR for further incident investigation and threat eradication including support to export incident data to FortiSOAR through the FortiAnalyzer fabric connector (enabled on FortiSOAR with API Admin setup).

#### **Playbook Automation**

FortiAnalyzer Playbooks boost an organization's security teams abilities to simplify investigation efforts through automated incident response, freeing up resources and allowing analysts to focus on more critical tasks.

Out of the box playbook templates enable SOC analysts to quickly customize their use cases, including playbooks for investigation of compromised hosts, infections and critical incidents, data enrichment for Fabric View Assets & Identity views, blocking of malware, C&C IPs, and more. Security teams can define custom processes, edit playbooks and tasks in the visual playbook editor, utilize the Playbook monitor to review task execution details, import or export playbooks, and use built-in connectors for allowing playbooks to interact with other Security Fabric devices like FortiOS and EMS. The new connector health check provides an indicator for verifying that connectors are always up and working.

#### **Security Services**

Include the FortiSOC subscription to enable further automation for incident response with enhanced alert monitoring and escalation, built-in incident management work-flows, connectors, and many more FortiSOC playbooks.

The FortiGuard Indicators of Compromise subscription empowers security teams with forensic data from 500,000 IOCs daily, used in combination with FortiAnalyzer analytics to identify suspicious usage and artifacts observed on the network or in an operations system, that have been determined with high confidence to be malicious infections or intrusions, and historical rescan of logs for threat hunting.

# FEATURE HIGHLIGHTS

The Shadow IT monitoring service provides continuous monitoring usage of unapproved devices and resources, and unsanctioned accounts and unauthorized use of SaaS and laaS, API integration, third party apps, and rogue users using personal accounts for managing company assets.

The FortuGuard Outbreak alert service provides an automatic download of content packages with resources for detecting the latest malware and threats, including views for summary of outbreaks, kill chain mapping for how the malware works, Fortigate coverage explains what FortiGate components and services will block the threats, and Fabric Coverage for leveraging the full Fabric security protection.

1	+ Add Widget	🗹 Edit Layout 🛛 🚊 All Devices	<ul> <li>O Last 1 Hor</li> </ul>	ur + 10:47 - 11:47					
	Insanctioned Cloud							[2] Top: -	
		Service							
400	d Filter Application		▼ Risk	Login IDs	Sessions( Blocked/ Allowed)	File(=Up/=Down)	Videos Plaved	Bytes(= Sent/= Rec	0
		Category						2.5 MR/6.8 MR	
	Facebook	Social Networking	Elevated	1	7,700	3/5	7		
	Facebook	Social Networking	Elevated	1	3,846	1/1	3	1.9 MB/5.0 MB	
	Spotify	Internet Radio and TV	Bevated	1	10	0	0	2.0 MB/5.5 MB	
	Azure	Information Technology	Low	1	898 💻	1/1	1	2.0 MB/5.0 MB	
	Netflix	Streaming Media and Downloa	Low	1	8	0	0	1.9 MB/4.3 MB	
	1 Office 365	Information Technology	Low	1	898 🚃	0	1	517.2 KB/710.5 KB	1.1
	Salesforce	Information Technology	Low	1	892	0	1	517.2 KB/1.2 MB	1.0
1	Steam 9	Games	Low	1	11	0	0	0.0 KB/0.0 KB	Þ
P	Steam Personal Accounts v d Filter		Low	1	11	0	0	0.0 KB/0.0 KB	•
P	Personal Accounts w d Filter VUser	ńth Cloud Access		1 Applicati		0 Permissions	0	[2] Top: •	0 0
P	Personal Accounts w d Filter	ńth Cloud Access		Applicati			0	[2] Top: •	
P	Personal Accounts w d Filter V User Cathy Jo Wendy I	Ath Cloud Access	m	Applicati	on	Permissions	0	[2] Top: •	
P	ersonal Accounts w d Filter ▼ User	Ath Cloud Access	m po.com	Applicati Sol Sol	on esforce	Permissions Administrator	0	[2] Top: •	
P	Personal Accounts w d Filter V User Cathy Jo Wendy I	Afth Cloud Access	m po.com com	Applicati Sal Sal Cff	on esforce esforce	Permissions Administrator Read & Write	0	[2] Top: •	
P	d Filter ▼User ∭ Cathy Jo ∭ Wendy I ∭ Kai Wal	Afth Cloud Access	m bo.com com soft.com	Applicati Solution Solution Off	an caforce esforce ke 365	Permissions Administrator Read & Write Read & Write	0	[2] Top: •	
	ersonal Accounts w d Fiter VUser (Cathy Jo (Cathy Jo (Cathy Jo (Cathy Jo (Cathy Jo (Cathy Jo) (Cathy Jo (Cathy Jo) (Cathy	Ath Cloud Access cjones@gmail.cc Miller wendy123@yah lace kaiw@microsoft han jasonchan@tech nith psmith@microso	m po.com com soft.com ft.com	Applicati Solution Solution CH CH CH	on esforce esforce tice 345	Permissions Administrator Read & Write Read & Write Administrator	0	[2] Top: •	

## **Security Fabric Analytics**

#### **Analytics and Reporting**

Security teams are empowered with FortiAnalyzer's automation driven analytics and reports providing full visibility of network devices, systems, and users.

FortiAnalyzer delivers correlated log data with threat intelligence for analysis of real-time and historical events, providing context and meaning to network activity, risks, and vulnerabilities, attack attempts, operational anomolies, and continuous monitoring of sanctioned and unsanctioned user activity and investigation of Shadow IT.


#### **Assets and Identity**

FortiAnalyzer's Fabric View with Asset and Identity monitoring provides full SOC visibility of users and devices, including analytics of the attack surface and enables analysts to view and manage detailed UEBA information collected from logs and fabric devices, with filters and custom views for refining results.

The Assets & Identity views provide security teams with elevated visibility into an organization's endpoints and users with corelated user and device information, vulnerability detections, and EMS tagging and asset classifications through telemetry with EMS, NAC, and Fortinet Fabric Agent.

**FortiView** is a comprehensive monitoring solution that provides multilevel views and summaries of real-time critical alerts and information such as top threats and IOCs to your network including Botnet and C&C, top sources/destinations of network traffic, top applications, websites and SaaS, VPN and System information, and other Fabric device intelligence.

**Monitors** view provides operations teams with customizable NOC and SOC dashboards and widgets designed for display across multiple screens in the Operations Center. Monitor events in real-time through the pre-defined dashboard views for SD-WAN, VPN, WiFi, Incoming/Outgoing Traffic, Applications and Websites, FortiSandbox Detections, Endpoint Vulnerabilities, Software Inventory, Threats, Shadow IT (monitoring service), Fabric State, and many more.



Analysts can expand their investigation in **Log View**, with easy navigation of managed device logs using search filters, log drill down, formatted or raw logs, log import/export, as well as define custom views and create log groups.

With a FortiSOC license, a SIEM database is automatically created to store normalized logs for devices in Fabric ADOMs.

# FEATURE HIGHLIGHTS

#### FortiAnlayzer Reports

FortiAnalyzer provides over 60 report templates, 800+ datasets and 750+ charts that are ready-to-use with sample reports, including reports for Secure SD-WAN, VPN monitoring, Threat Assessments, 360 Security Reviews, Situational Awareness, Self-harm and Risk Indicators, Bandwidth and Applications, FortiClient, FortiMail, FortiSandbox, FortiDeceptor, compliance, and many others.

Analysts can easily customize, clone and modify Reports to their needs with filters by device, subnets and type to deliver specific business metrics to target stakeholders. Schedule reports to run at non-peak hours or run on demand; define output profiles for notifications and deliver reports in flexible viewing formats including PDF, HTML, CSV, and XML.

## Deployments

#### **Deploying FortiAnalyzer**

FortiAnalyzer plays a pivotal role in Fortinet's Security Fabric and can be deployed in a variety of configurations to best support the needs of any organization for analytics, back-ups, disaster recovery and storage, availability and redundancy as well as log collection and log forwarding for high-volume networks with sizeable generation of event logs.

#### FortiAnalyzer High Availability (HA)

FortiAnalyzer HA provides real-time redundancy to protect organizations by ensuring continuous operational availability. In the event that the primary (active) FortiAnalyzer fails, a secondary (passive) FortiAnalyzer (up to four node cluster) will immediately take over, providing log and data reliability and eliminating the risk of having a single point of failure.

#### Multi-Tenancy with Flexible Quota Management

FortiAnalyzer provides the ability to manage multiple subaccounts with each account having its own administrators and users. The time-based archive/analytic log data policy, per Administrative Domain (ADOM), allows automated quota management based on the defined policy, with trending graphs to guide policy configuration and usage monitoring.

#### Analyzer-Collector Mode

FortiAnalyzer provides two operation modes: Analyzer and Collector. In Collector mode, the primary task is forwarding logs of the connected devices to an Analyzer and archiving the logs. This configuratuion greatly benefits organizations with increasing log rates, as the resource intensive logreceiving task is off-loaded to the Collector so that the Analyzer can focus on generating analytics and reports.

Network Operations teams can deploy multiple FortiAnalyzers in Collector and Analyzer modes to work together to improve the overall performance of log receiving and processing increased log volumes, providing log storage and redundancy, and rapid delvery of critical network and threat information.

#### Log Forwarding for Third-Party Integration

Forward logs from one FortiAnalyzer to another FortiAnalyzer unit, a syslog server, or (CEF) server. In addition to forwarding logs to another unit or server, the client FortiAnalyzer retains a local copy of the logs, which are subject to the data policy settings for archived logs. Logs are forwarded in real-time or near real-time as they are received from network devices.

## **Cloud Services**

#### FortiAnalyzer Cloud

FortiAnalyzer Cloud offers customers a SaaS based delivery option for automation-driven, single pane analytics, providing log management, analytics and reporting for Fortinet NGFW and SD-WAN with an easily accessible cloud-based solution.

FortiAnalyzer Cloud delivers reliable real-time insights into network activity with extensive reporting and monitoring for clear, consistent visibility of an organizations security posture.

With the FortiCloud Premium subscription customers can easily enable the FortiAnalyzer Cloud service with the 360 Protection bundle or by purchasing it a-la-carte, producing analytics for Fortinet Security Fabric devices and users.

Customers and Partners can easily access their FortiAnalyzer Cloud from their FortiCloud Single-Sign-On Portal.

# VIRTUAL OFFERINGS

## FortiAnalyzer VM

FortiAnalyzer Virtual Machines are a virtual version of the hardware appliance and are designed to run on many virtualization platforms, offering all the latest features of the FortiAnalyzer appliance. They allow organizations to simplify their centralized log management and analytics solution, automate workflows and help NOC and SOC teams identifyand respond to threats. FortiAnalyzer VMs are available in both a subscription and perpetual offering.

#### FortiAnalyzer VM-S

The new FortiAnalyzer Subscription license model consolidates the VM product SKU and the FortiCare Support SKU, as well as IOC and FortiAnalyzer SOC (SOAR/ SIEM) services into one single SKU, to simplify the product purchase, upgrade and renewal.

FortiAnalyzer-VM-S provides organizations with centralized security event analysis, forensic research, reporting, content archiving, data mining, malicious file quarantining and

vulnerability assessment. Centralized collection, correlation and analysis of geographically and chronologically diverse security data from Fortinet and third-party devices deliver a simplified, consolidated view of your security posture.

The FortiAnalyzer S-Series SKUs come in stackable 5, 50 and 500 GB/Day logs licenses, so that multiple units of this SKU can be purchased together providing organizations with the ability and cost-efficiencies to scale and meet their logging needs.

#### FortiAnalyzer VM

Fortinet offers the FortiAnalyzer VM in a stackable perpetual license model, with a-la-carte services available for 24×7 FortiCare support and subscription license for the FortiGuard Indicator of Compromise (IOC).

This software-based version of the FortiAnalyzer hardware appliance allows you to expand your virtual solution as your environment expands and is designed to run on many virtualization platforms.

FORTIANALYZER VIRTUAL APPLIANCES	FAZ-VM-GB1	FAZ-VM-GB5	FAZ-VM-GB25	FAZ-VM-GB100	FAZ-VM-GB500	FAZ-VM-GB2000
Capacity						
GB/Day of Logs	+1	+5	+25	+100	+500	+2,000
Storage Capacity	+500 GB	+3 TB	+10 TB	+24 TB	+48 TB	+100 TB
Devices/VDOMs Maximum	10,000	10,000	10,000	10,000	10,000	10,000
Chassis Management	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$
Virtual Machine						
FortiGuard Indicator of Compromise (IOC)			(	$\supset$		
SOC Subscription			(	9		
Virtual Machine						
Hypervisor Support	Up-to-date hypervisor support can be found in the release note for each FortiAnalyzer version. Visit <u>https://docs.fortinet.com/product/fortianalyzer</u> / and find the Release Information at the bottom section. Go to "Product Integration and Support" $\rightarrow$ "FortiAnalyzer [version] support" $\rightarrow$ "Virtualization"					ection.
vCPU Support (Minimum / Maximum)			4 / Ur	limited		
Network Interface Support (Min / Max) <sup>5</sup>			1	/ 4		
Memory Support (Minimum / Maximum) 8 GB / Unlimited for 64-bit						

#### \* Unlimited GB/Day when deployed in collector mode

## **SPECIFICATIONS**

# **SPECIFICATIONS**

FORTIANALYZER APPLIANCES	FAZ-150G	FAZ-300G	FAZ-800F	
Capacity and Performance				
GB/Day of Logs	25	100	300	
Analytic Sustained Rate (logs/sec)*	500	2,000	8,250	
collector Sustained Rate (logs/sec)*	750	3,000	12,000	
Devices/VDOMs (Maximum)	50	180	800	
Nax Number of Days Analytics**	90	28	30	
options				
ortiGuard Indicator of Compromise (IOC)	$\oslash$	$\odot$	$\odot$	
OC Subscription	$\overline{\oslash}$	$\bigotimes$	$\bigotimes$	
ortiGuard Outbreak Alert Service	$\bigcirc$	$\bigcirc$	$\oslash$	
nterprise Bundle	$\bigcirc$	$\bigotimes$	$\bigotimes$	
ardware Bundle	$\odot$	$\odot$	$\odot$	
lardware Specifications				
orm Factor (supports EIA/non-EIA standards)	Desktop	1 RU Rackmount	1 RU Rackmount	
otal Interfaces	2 x RJ45 GE	4 x RJ45 GE	4 x RJ45 GE, 2 x SFP	
torage Capacity	4TB (2× 2TB)	8 TB (2 × 4 TB)	16 TB (4 × 4 TB)	
sable Storage (After RAID)	2 TB	4 TB	8 TB	
emovable Hard Drives	No	No	$\oslash$	
AID Levels Supported	0/1	RAID 0/1	RAID 0/1,1s/5,5s/10	
АІД Туре	Software	Software	Hardware / Hot Swappable	
efault RAID Level	1	1	10	
edundant Hot Swap Power Supplies	No	No	Optional	
imensions				
leight x Width x Length (inches)	9.5 × 3.5 × 8	1.73 × 17.24 × 16.38	1.75 × 17.44 × 22.16	
leight x Width x Length (cm)	24.1 × 8.9 × 20.55	4.4 × 43.8 × 41.6	4.4 × 44.3 × 56.3	
Veight	9.35 lbs (4.24 kg)	22.5 lbs (10.2 kg)	28.6 lbs (13.0 kg)	
nvironment				
C Power Supply	100-240V AC, 50-60 Hz	100-240V AC, 60-50 Hz	100-240V AC, 50-60 Hz	
ower Consumption (Average / Maximum)	36W / 43W	90.1W / 99 W	108W / 186 W	
leat Dissipation	147.4 BTU/h	337.8 BTU/h	634 BTU/h	
perating Temperature	32–104° F (0–40° C)	32–104° F (0–40° C)	32-104° F (0-40° C)	
torage Temperature	-4–167° F (-20–75° C)	-13–167° F (-25–75° C)	-31–158° F (-35–70° C)	
lumidity	5 to 95% non-condensing	20 to 90% non-condensing	20 to 90% non-condensing	
perating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	
Compliance				
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, RCM, VCCI, C UL/cUL, CB	

\* Sustained Rate - maximum constant log message rate that the FAZ platform can maintain for minimum 48 hours without SQL database and system performance degradation. \*\* The maximum number of days if receiving logs continuously at the sustained analytics log rate. This number can increase if the average log rate is lower.

# **SPECIFICATIONS**

		7		
		1         2025         10	Strength         Strength	
FORTIANALYZER APPLIANCES	FAZ-1000F	FAZ-3000G	FAZ-3500G	FAZ-3700F
Capacity and Performance				
GB/Day of Logs	660	3,000	5,000	8,300
Analytic Sustained Rate (logs/sec)*	20,000	42,000	60,000	100,000
Collector Sustained Rate (logs/sec)*	30,000	60,000	90,000	150,000
Devices/VDOMs (Maximum)	2,000	4,000	10,000	10,000
Max Number of Days Analytics**	34	30	38	60
Options				
FortiGuard Indicator of Compromise (IOC)	$\bigcirc$	$\bigotimes$	$\odot$	$\oslash$
SOC Subscription	$\oslash$	$\oslash$	$\odot$	$\oslash$
FortiGuard Outbreak Alert Service	$\bigcirc$	$\bigotimes$	$\odot$	$\bigotimes$
Enterprise Bundle	$\bigcirc$	$\odot$	$\odot$	$\odot$
Hardware Bundle	$\odot$	$\odot$	$\odot$	$\odot$
Hardware Specifications				
Form Factor (supports EIA/non-EIA standards)	2 RU Rackmount	3 RU Rackmount	4 RU Rackmount	4 RU Rackmount
Total Interfaces	2 × 10GbE RJ45, 2 × 10GbE SFP+	2 x GE RJ45, 2× 25GE SFP28	2 x GE RJ45, 2× 25GE SFP28	2 x SFP+, 2 × 1GE
Storage Capacity	32 TB (8 × 4 TB)	64 TB (16 × 4TB)	96 TB (24 × 4 TB)	240 TB (60 × 4 TB SAS HDDs)
Usable Storage (After RAID)	24	56 TB	80	216 TB
Removable Hard Drives	$\bigcirc$	$\odot$	$\odot$	$\odot$
RAID Levels Supported	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60
RAID Type	Hardware / Hot Swappable	Hardware / Hot Swappable	Hardware / Hot Swappable	Hardware / Hot Swappable
Default RAID Level	50	50	50	50
Redundant Hot Swap Power Supplies	$\odot$	$\odot$	$\odot$	$\odot$
Dimensions				
Height x Width x Length (inches)	3.5 × 17.2 × 25.6	5.2 × 17.2 × 25.5	7.0 × 17.2 × 26.0	7 × 17.2 × 30.2
Height x Width x Length (cm)	8.9 × 43.7 × 65.0	13.0 × 44.0 × 65.0	17.8 × 43.7 × 66.0	17.8 × 43.7 × 76.7
Weight	34 lbs (15.42 kg)	66.5 lbs (30.15 kg)	90.75 lbs (41.2 kg)	118 lbs (53.5Kg)
Environment				
AC Power Supply	100-240V AC, 50-60 Hz	100-127V~/10A, 200-240V~/5A	100-240 VAC, 50-60 Hz	2000W AC***
Power Consumption (Average / Maximum)	192.5W / 275 W	385 W / 500 W	629.5 W / 677.3W	850W / 1423.4 W
Heat Dissipation	920 BTU/h	1350 BTU/h	2345.07 BTU/h	4858 BTU/h
Operating Temperature	50–95°F (10 – 35°C)	32 - 104°F (0 - 40°C)	41–95°F (5–35°C)	50–95°F (10–35°C)
Storage Temperature	-40-140°F (-40-60°C)	-4 - 167°F (-20 - 75°C)	-40-140°F (-40-60°C)	-40-158°F (-40-70°C)
Humidity	8 to 90% non-condensing	5% to 95% (non-condensing)	8% to 90% (non-condensing)	8% to 90% (non-condensing)
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,000 ft (2133 m)
Compliance				
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, UL/CUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, UL/CUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB

\* Sustained Rate - maximum constant log message rate that the FAZ platform can maintain for minimum 48 hours without SQL database and system performance degradation. \*\* is the max number of days if receiving logs continuously at the sustained analytics log rate. This number can increase if the average log rate is lower. \*\*\*3700F must connect to a 200V - 240V power source.

# ORDER INFORMATION

PRODUCT	SKU	DESCRIPTION
FortiAnalyzer	FAZ-150G	Centralized log and analysis appliance — 2 x RJ45 GE, 4 TB storage, up to 25 GB/day of logs.
	FAZ-300G	Centralized log and analysis appliance — 4 x RJ45 GE, 8 TB storage, up to 100 GB/day of logs.
	FAZ-800F	Centralized log and analysis appliance — 4 x GE, 2 x SFP, 16 TB storage, up to 300 GB/day of log-
	FAZ-1000F	Centralized log and analysis appliance — 2 × 10GE RJ45, 2 × 10GbE SFP+, 32 TB storage, dual power supplies, up to 660 GB/day of logs.
	FAZ-3000G	Centralized log and analysis appliance — 2 x GE RJ45, 2× 25GE SFP28, 64 TB storage, dual powe supplies, up to 3,000 GB/day of logs.
	FAZ-3500G	Centralized log and analysis appliance — 2 x GbE RJ45, 2 x SFP28, 96 TB storage, dual power supplies, up to 5,000 GB/day of logs.
	FAZ-3700F	Centralized log and analysis appliance — 2 x SFP+, 2 × 1GE slots, 240 TB storage, up to 8,300 GE day of logs.
FortiAnalyzer-VM Subscription License with Support	FC1-10-AZVMS-465-01-DD	Central Logging and Analytics subscription for 5 GB/day logs. Include 24×7 FortiCare support, IOC, SOC Subscription.
	FC2-10-AZVMS-465-01-DD	Central Logging and Analytics subscription for 50 GB/day logs. Include 24×7 FortiCare support, IOC, SOC Subscription.
	FC3-10-AZVMS-465-01-DD	Central Logging and Analytics subscription for 500 GB/day logs. Include 24×7 FortiCare support, IOC, SOC Subscription.
FortiAnalyzer-VM	FAZ-VM-GB1	Upgrade license for adding 1 GB/day of logs and 500 GB storage capacity.
	FAZ-VM-GB5	Upgrade license for adding 5 GB/day of logs and 3 TB storage capacity.
	FAZ-VM-GB25	Upgrade license for adding 25 GB/day of logs and 10 TB storage capacity.
	FAZ-VM-GB100	Upgrade license for adding 100 GB/day of logs and 24 TB storage capacity.
	FAZ-VM-GB500	Upgrade license for adding 500 GB/day of logs and 48 TB storage capacity.
	FAZ-VM-GB2000	Upgrade license for adding 2 TB/Day of Logs and 100 TB storage capacity.
FortiAnalyzer-Cloud*	FC-10-[FortiGate Model Code]-188-02-DD	FortiAnalyzer Cloud: Cloud-based Events and Security Log Monitoring including IOC Service.
	FC-10-[FortiGate Model Code]-816-02-DD	360 Protection (SD-WAN Cloud Monitoring, FMG/FAZ Cloud, IPS, AMP, App Ctrl, Web Filtering, AS Security Rating, Industrial Security, FortiConverter Svc, and ASE FortiCare).
	FC-10-[FortiGate VM Model Code]-819-02-DD	360 Protection (SD-WAN Cloud Monitoring, FMG/FAZ Cloud, IPS, AMP, App Ctrl, Web Filtering, AS Security Rating, Industrial Security, FortiConverter Svc, and ASE FortiCare).
	FC-10- [FortiGate Model Code]-208-02-DD	Premium subscription for Cloud-based Central Logging and Analytics. Supports all FortiGate log types with IOC service, SOC subscription and 24×7 FortiCare support included.
FortiAnalyzer - Backup to Cloud Service	FC-10-FAZ00-286-02-DD	One year subscription to FortiAnalyzer storage connector service for 10TB data transfer to public cloud.
FortiGuard Indicator of Compromise (IOC) Subscription	FC-10-[Model Code]-149-02-DD	One year subscription license for the FortiGuard Indicator of Compromise (IOC).
FortiAnalyzer SOC Subscription	FC-10-[Model Code]-335-02-DD	Subscription license for the FortiAnalyzer SOC component.
FortiAnalyzer-VM SOC Subscription Service	FC[GB Day Code]-10-LV0VM-335-02-DD	Subscription license for FortiAnalyzer VM SOC service.
FortiGuard Outbreak Alert Service	FC-10-[Model Code]-462-02-DD	Subscription license for FortiGuard Outbreak Alert Service.
FortiAnalyzer-VM Perpetual Outbreak Alerts Service	FC[GB Day Code]-10-LV0VM-462-02-DD	Subscription license for FortiAnlayzer VM Perpetual FortiGuard Outbreak Alert Service.
Enterprise Protection Bundle	FC-10-[Model Code]-466-02-DD	Enterprise Protection (24×7 FortiCare plus Indicators of Compromise Service and SOC Subscription license).

\* Requires FortiCloud Premium Account license



www.fortinet.com

Copyright © 2021 Fortinet, Inc. All rights reserved. Fortinet\*, FortiGate\*, Fo